

CLAIMS

1. (amended) A multimedia information generation apparatus for generating multimedia information including at least one two-dimensional image or character information and at least one three-dimensional image, comprising:

5 a control information generation unit generating control information for controlling display of said three-dimensional image; and

10 a multimedia information generation unit generating said multimedia information including said at least one two-dimensional image or character information and at least one three-dimensional image and said control information, wherein

said at least one two-dimensional image or character information and at least one three-dimensional image are data to be synthesized.

2. (amended) A multimedia information generation apparatus for generating multimedia information comprised of a plurality of modules, comprising

15 a module generation unit generating said modules including at least one two-dimensional image or character information and at least one three-dimensional image, wherein

20 said modules include control information for controlling display of said three-dimensional image, and said at least one two-dimensional image or character information and at least one three-dimensional image are data to be synthesized.

3. (amended) The multimedia information generation apparatus according to claim 1 or 2, wherein said control information is provided correspondingly to each three-dimensional image.

4. (amended) The multimedia information generation apparatus according to claim 1 or 2, wherein said control information is provided correspondingly to a plurality

of three-dimensional images.

5 5. (amended) The multimedia information generation method according to claim 1, wherein an identifier for identifying each of at least said two dimensional image and said three-dimensional image is set in advance, and said control information includes said identifier of the three-dimensional image.

10 6. (amended) The multimedia information generation apparatus according to claim 2, wherein an identifier for identifying each of at least said two-dimensional image and said three-dimensional image is set in advance, and said control information includes said identifier of the three-dimensional image.

15 7. (amended) The multimedia information generation apparatus according to claim 5 or 6, wherein said control information includes a plurality of identifiers.

8. (amended) The multimedia information generation apparatus according to claim 5 or 6, wherein a predetermined value of said identifier indicates that all of images included in said multimedia information are three-dimensional images.

20 9. (amended) The multimedia information generation apparatus according to claim 5, wherein a predetermined value of said identifier indicates that all of images included in said modules are three-dimensional images.

25 10. (amended) A multimedia information reproduction apparatus reproducing multimedia information including at least one two-dimensional image or character information and at least one three-dimensional images, comprising:

a generation unit generating a three-dimensional image from said two-dimensional image or character information; and

a first synthesis unit synthesizing said three-dimensional image generated by said generation unit and the three-dimensional image included in said multimedia information.

11. (amended) The multimedia information reproduction apparatus according to claim 10, further comprising a second synthesis unit synthesizing a plurality of two-dimensional images or character information, and

said generation unit generates three-dimensional image data from two-dimensional image data obtained through synthesis by said second synthesis unit, instead of said two-dimensional images or character information.

12. (amended) A multimedia information reproduction apparatus reproducing multimedia information including a plurality of sets of at least one two-dimensional image or character information and at least one three-dimensional image, comprising:

a page data decoding unit decoding graphic and character information included in said multimedia information to obtain a page image;

a 2D/3D conversion unit converting said page image into a three-dimensional image; and

a first synthesis unit synthesizing the three-dimensional image generated by said 2D/3D conversion unit and the three-dimensional image included in said multimedia information.

13. (amended) The multimedia information reproduction apparatus according to claim 12, further comprising a second synthesis unit synthesizing a plurality of two-dimensional images, and

said 2D/3D conversion unit converts two-dimensional image data obtained through synthesis by said second synthesis unit into three-dimensional image data.

14. (amended) The multimedia information reproduction apparatus according to

claim 12 or 13, wherein a first font image and a second font image corresponding to the character information are provided, said first font image is used when the character information is three-dimensionally displayed and said second font image is used when the character information is two-dimensionally displayed.

5

15. (amended) The multimedia information reproduction apparatus according to claim 14, wherein said page data decoding unit uses said first or second font image to obtain the page image.

10

16. (amended) The multimedia information reproduction apparatus according to claim 14, wherein said 2D/3D conversion unit uses said first or second font image to obtain the three-dimensional image.

15

17. (amended) The multimedia information reproduction apparatus according to claim 15 or 16, further comprising:

a font image storage unit storing said first font image and said second font image; and

a switch selecting said first font image or said second font image.

20

18. (amended) The multimedia information reproduction apparatus according to claim 15 or 16, further comprising a font conversion unit converting the second font image into the first font image.

25

19. (amended) The multimedia information reproduction apparatus according to claim 14, wherein said first font image is comprised of a plurality of pieces of light/dark information and arranged so that apparent character thickness is thin.

AMENDED SHEETS